PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Causes severe skin burns and eye damage. May intensify fire, oxidizer. May be corrosive to metals. Harmful if swallowed. Harmful in contact with skin. Toxic to aquatic life. Heating may cause fire. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep/Store away from clothing/combustible materials. Do not eat, drink or smoke when using this product. Keep only in original container. Take any precaution to avoid mixing with combustibles. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a developed for use in Federally Inspected meat, position comfortable for breathing. IF exposed or you feel poultry, and seafood processing locations. If used unwell: Call a POISON CENTER or doctor/physician. Wash as directed, it will help to reduce contamination and contaminated clothing before reuse. In case of fire: Use water cross-contamination of edible food products. Its use FRUIT AND VEGETABLE WASHING: for extinction. Absorb spillage to prevent material damage. is acceptable for direct or indirect contact in or on For use in water or ice that contacts the surface of Store locked up. Store in a corrosive resistant container with food, including fruits, vegetables, meat, seafood, a resistant inner liner. It is recommended to store this product and poultry if used as directed. It can be applied at at temperatures where the bulk liquid will not exceed 86° F / 30°C. Store away from other materials. Protect from sunlight. Keep cool. Dispose of contents/container in accordance with local regulations.

Physical or Chemical Hazards

Strong oxidizing agent. Corrosive. Mix only with water. Product must be diluted in accordance with label directions prior to use. CC-622 is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen released could initiate combustion.

Environmental Hazards

This product may be toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of the (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Storage and Disposal

Storage: NEVER return this product to the original container after it has been removed. Avoid all contaminants, especially dirt, caustic, reducing agents, and metals. Contamination and impurities will reduce shelf life and can induce decomposition. In case of decomposition, isolate container, douse container with cool water and dilute this product with large volumes of Safe Foods Chemical water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight. To maintain product quality, store at temperatures 1501 E 8th St. helow 86°F

Procedure for Leak or Spill: Stop leak if this can be done without risk. Shut off ignition sources: no flames, smoking, 1-501-758-8500 flares, or spark producing tools. Keep combustible and organic materials away. Flush spilled material with large quantities of water. Undiluted material should not enter **NET CONTENTS: 200 LITRES (52.8 GAL)** confined spaces.

Disposal: Concentrated product wastes are acutely hazardous. Improper disposal of excess spray mixture or rinsate is a violation of Federal Law. If these wastes cannot LOT: be disposed by use according to label instructions, contact vour State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance, if material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of PRODUCT OF USA water followed by discharge into suitable treatment system in accordance with all Local. State and Federal environmental laws, rules, regulations, standards, and other requirements. Container Disposal: >5 gallon plastic drums: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



CC-622

(ANTIMICROBIAL SOLUTION)

For Meat, Poultry, Seafood, and Produce

CC-622 is a peroxyacetic acid-based microbiocide any critical point during processing. If used at the maximum label concentration of PAA, none of the ingredients will exceed the maximum limit threshold as established by the FDA as specified in the vary from plant-to-plant. The product may be used appropriate FCN's.

Before Using This Product, Please Read This Entire Label Carefully.

KEEP OUT OF REACH OF CHILDREN DANGER

Sold By: Innovations

North Little Rock, AR 72114 USA



Rev. 03/19/2024

Holographic **Security Sticker** Place half on

label and half on container

Apply Holographic Security Sticker Here

Directions For Use

If holographic security sticker is not present, contact Safe Foods Chemical Innovations at 1 (501) 758-8500.

MEAT APPLICATIONS

FOR USE ON RED MEAT PARTS, TRIM AND ORGANS. For direct or indirect application to raw or further processed whole, half or quarter or red meat parts and trim mix this product with no more than 49 mL in 10 liters of water. The final amount necessary to accomplish the intended task will vary considerably from plant-to-plant; the maximum concentration allowed is 1200 ppm. Apply use solution to carcass using spray application. Spray application should be at pressures greater than 40 psi. Make up water may be preheated up to 40° C (104° F) if desired. If used in cooling water or dip-tank application, make up water can be chilled to 1° C (33° F).

fruits and vegetables under FCN 1738. Product can be applied up to 3.2 mL per 10 liters of water (80 ppm active peroxyacetic acid). The final concentration necessary to accomplish the intended task will in sprays, dip tanks, wash tanks, brush washers, etc. Adjust concentration accordingly to maintain INGREDIENTS: Peroxyacetic Acid (PAA), Hydrogen desired concentration. A potable water wash is not

Poultry Applications:

The additive is used as a general process water or ice antimicrobial agent on poultry carcasses, poultry parts, and organs for spray or submersion uses in accordance with current industry standards of good manufacturing practice. This includes but is not limited to the main chiller, finishing chiller and spray on poultry parts. Mix this product with no more than 82 mL in 10 liters of water. This is the maximum allowed: it could be less.

SEAFOOD APPLICATIONS:

This product may be used in water or ice that is used to commercially prepare process or store fish or seafood intended for human consumption. The maximum concentration allowed is 190 ppm as active peroxyacetic acid. This residual activity may be reached by diluting this product by 6.9 mL to 10 liters of water (v/v). A potable water rinse is not necessary.

Note: 3.63 mL per 10 litres of water will yield 100 ppm of PAA.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label.

ID #30364 NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or TDG Classification: property arising from the use or handling of this product and accepts the product on that conditions.

> CHEMTREC EMERGENCY PHONE 1-800-424-9300

OXIDIZER!



KEEP OUT OF REACH OF CHILDREN HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. DANGER. CORROSIVE.

Do not enter an enclosed area without proper respiratory protection. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles and face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 30 minutes. Remove contact lenses If present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 30 minutes. Call a poison control center or doctor for treatment advice

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Call a poison control center or doctor for treatment

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

READ SAFETY DATA SHEET BEFORE USING PRODUCT

peroxide type F, Liquid (<=25% Peracetic Acid with <=26% Hydrogen Peroxide) 5.2 (8)